

IVTEAM.com

Needlestick Reference List

IVTEAM.com
Published 31 May 2009



Needlestick

Reference List January 2008- May 2009

IVTEAM.com

Published 31 May 2009



Intravenous therapy and care of vascular access devices play a pivotal role in the delivery of modern healthcare treatments. IVTEAM bring all the breaking IV news and updates in a single, easy to navigate resource. Visit IVTEAM for more free IV resources at www.ivteam.com

Reference List

Boal WL, Leiss JK, Ratcliffe JM, Sousa S, Lyden JT, Li J, Jagger J. The national study to prevent blood exposure in paramedics: rates of exposure to blood. *Int Arch Occup Environ Health.* 2009 May 13.

Naghavi SH, Sanati KA. Needlestick injuries: does left-handedness matter? *Am J Infect Control.* 2009 May;37(4):341.

Kerwat K, Goedecke M, Wulf H. [Needlestick injuries]. *Anesthesiol Intensivmed Notfallmed Schmerzther.* 2009 May;44(5):344-5.

Weinbaum CM, Mast EE, Ward JW. Recommendations for identification and public health management of persons with chronic hepatitis B virus infection. *Hematology.* 2009 May;49(5 Suppl):S35-44.

Delobelle P, Rawlinson JL, Ntuli S, Malatsi I, Decock R, Depoorter AM. HIV/AIDS knowledge, attitudes, practices and perceptions of rural nurses in South Africa. *J Adv Nurs.* 2009 May;65(5):1061-73.

Talas MS. Occupational exposure to blood and body fluids among Turkish nursing students during clinical practice training: frequency of needlestick/sharp injuries and hepatitis B immunisation. *J Clin Nurs.* 2009 May;18(10):1394-403.

Ayers KM, Thomson WM, Newton JT, Morgaine KC, Rich AM. Self-reported occupational health of general dental practitioners. *Occup Med (Lond).* 2009 May;59(3):142-8. Epub 2009 Feb 17.

Whitney EA, Ailes E, Myers LM, Saliki JT, Berkelman RL. Prevalence of and risk factors for serum antibodies against *Leptospira* serovars in US veterinarians. *J Am Vet Med Assoc.* 2009 Apr 1;234(7):938-44.

Huang IC, Yang CH, Sung FC, Chen HF, Li CY. Incidence of ambulatory care visits among female nursing staff in Taiwan: a claim data-based retrospective cohort analysis. *J Clin Nurs.* 2009 Apr;18(8):1207-16. Epub 2008 Nov 20.

Hulme P. Incidence of needlestick injuries among Ugandan student nurses in a rural hospital. *Rural Remote Health.* 2009 Apr-Jun;9(2):1185. Epub 2009 May 15.

Tuffs A. Experimental vaccine may have saved Hamburg scientist from Ebola fever. *BMJ.* 2009 Mar 23;338:b1223. doi: 10.1136/bmj.b1223.

Venter M, Burt FJ, Blumberg L, Fickl H, Paweska J, Swanepoel R. Cytokine induction after laboratory-acquired West Nile virus infection. *N Engl J Med.* 2009 Mar 19;360(12):1260-2.

Smith DR, Mihashi M, Adachi Y, Shouyama Y, Mouri F, Ishibashi N, Ishitake T. Organizational climate and its relationship with needlestick and sharps injuries among Japanese nurses. *Am J Infect Control.* 2009 Mar 7.

Sibbitt RR, Palmer DJ, Bankhurst AD, Sibbitt WL Jr. Integration of new safety technologies for needle aspiration of breast cysts. *Arch Gynecol Obstet.* 2009 Mar;279(3):285-92. Epub 2008 Jun 21.

Gruener NH, Heeg M, Obermeier M, Ulsenheimer A, Raziorrouh B, Diepolder H, Zachoval R, Jung MC. Late appearance of hepatitis C virus RNA after needlestick injury: necessity for a more intensive follow-up. *Infect Control Hosp Epidemiol.* 2009 Mar;30(3):299-300.

Ober S, Craven G. Public policy mandating needlestick injury prevention generates research and change creating safer workplaces. *J Infus Nurs.* 2009 Mar-Apr;32(2):69-70.

Solano Bernad VM. [Needlestick injuries: New perspectives]. Med Clin (Barc). 2009 Feb 28;132(7):262-4.

Campins M, Torres M, Varela P, López Clemente V, Gascó A, de la Prada M, Espuga M, Tapias G, Peña P, Hermosilla E, Otero S, Bastida T, Sanz P, María Bayas J, Serra C. [Needlestick injuries in health care workers: analysis of non preventable risk factors through standard precautions]. Med Clin (Barc). 2009 Feb 28;132(7):251-8.

Simon LP. Prevention and management of needlestick injury in Delhi. Br J Nurs. 2009 Feb 26-Mar 11;18(4):252-6.

Gabriel J. Reducing needlestick and sharps injuries among healthcare workers. Nurs Stand. 2009 Feb 4-10;23(22):41-4.

Turner GD. Povidone-iodine (Betadine) solution: a simple protectant in surgical gloves. Med J Aust. 2009 Feb 2;190(3):167.

Zhang M, Wang H, Miao J, Du X, Li T, Wu Z. Occupational exposure to blood and body fluids among health care workers in a general hospital, China. Am J Ind Med. 2009 Feb;52(2):89-98.

Pham M, Neustein SM. A needlestick injury with the introcan safety needle. Anesth Analg. 2009 Feb;108(2):669-70.

Thomas-Copeland J. Do surgical personnel really need to double-glove? AORN J. 2009 Feb;89(2):322-8; quiz 329-32.

O'Connor MB. Needlestick injury advice in the UK and Ireland. J Hosp Infect. 2009 Feb;71(2):185-6. Epub 2008 Dec 13.

De Carli G, Puro V; Studio Italiano Rischio Occupazionale da HIV (SIROH) Group, Jagger J. Needlestick-prevention devices: we should already be there. J Hosp Infect. 2009 Feb;71(2):183-4; author reply 184-5.

Reda AA, Vandeweerd JM, Syre TR, Egata G. HIV/AIDS and exposure of healthcare workers to body fluids in Ethiopia: attitudes toward universal precautions. J Hosp Infect. 2009 Feb;71(2):163-9. Epub 2008 Nov 14.

Hotaling M. A retractable winged steel (butterfly) needle performance improvement project. Jt Comm J Qual Patient Saf. 2009 Feb;35(2):100-5, 61. Aziz AM, Ashton H, Pagett A, Mathieson K, Jones S, Mullin B. Sharps management in

hospital: an audit of equipment, practice and awareness. *Br J Nurs.* 2009 Jan 22-Feb 11;18(2):92-8.

Chen L, Zhang M, Yan Y, Miao J, Lin H, Zhang Y, Wang H, Du X, Li T. Sharp object injuries among health care workers in a Chinese province. *AAOHN J.* 2009 Jan;57(1):13-6.

Thomas WJ, Murray JR. The incidence and reporting rates of needle-stick injury amongst UK surgeons. *Ann R Coll Surg Engl.* 2009 Jan;91(1):12-7.

Blenkharn I. Waste management requirements of community i.v. therapy services. *Br J Community Nurs.* 2009 Jan;14(1):38-9.

Hussain W, Telfer NR. Evaluating a novel 'needlecatcher' device in dermatological surgery: practical considerations. *Br J Dermatol.* 2009 Jan;160(1):225.

Jayanth ST, Kirupakaran H, Brahmadathan KN, Gnanaraj L, Kang G. Needle stick injuries in a tertiary care hospital. *Indian J Med Microbiol.* 2009 Jan-Mar;27(1):44-7.

Wittmann A, Kralj N, Kvøver J, Gasthaus K, Hofmann F. Study of blood contact in simulated surgical needlestick injuries with single or double latex gloving. *Infect Control Hosp Epidemiol.* 2009 Jan;30(1):53-6.

Moghimi M, Marashi SA, Kabir A, Taghipour HR, Faghihi-Kashani AH, Ghettos I, Alavian SM. Knowledge, attitude, and practice of Iranian surgeons about blood-borne diseases. *J Surg Res.* 2009 Jan;151(1):80-4.

Galligan C, Chalupka S, Laramie A, Davis L. Procedure trays: a call to action for sharps safety. *Nursing.* 2009 Jan;39(1):13-5.

Mychaskiw G 2nd, Mayhew JF. Recommended usage technique for the Insyte Autoguard IV catheter increases risk of blood aerosolization. *Paediatr Anaesth.* 2009 Jan;19(1):63-4.

Merchant RC, Nettleton JE, Mayer KH, Becker BM. Blood or body fluid exposures and HIV postexposure prophylaxis utilization among first responders. *Prehosp Emerg Care.* 2009 Jan-Mar;13(1):6-13.

Bentrup N. German-Austrian recommendations for HIV postexposure prophylaxis. *Eur J Med Res.* 2008 Dec 3;13(12):539-45.

Yébenes JC, Serra-Prat M. Clinical use of disinfectable needle-free connectors. *Am J Infect Control.* 2008 Dec;36(10):S175.e1-4.

Davanzo E, Frasson C, Morandin M, Trevisan A. Occupational blood and body fluid exposure of university health care workers. *Am J Infect Control.* 2008 Dec;36(10):753-6.

Mathews R, Leiss JK, Lyden JT, Sousa S, Ratcliffe JM, Jagger J. Provision and use of personal protective equipment and safety devices in the National Study to Prevent Blood Exposure in Paramedics. *Am J Infect Control.* 2008 Dec;36(10):743-9.

Nevin RL, Carbonell I, Thurmond V. Device-specific rates of needlestick injury at a large military teaching hospital. *Am J Infect Control.* 2008 Dec;36(10):750-2. Epub 2008 Oct 3.

Wilson LK, Sullivan S, Goodnight W, Chang EY, Soper D. The use of blunt needles does not reduce glove perforations during obstetrical laceration repair. *Am J Obstet Gynecol.* 2008 Dec;199(6):641.e1-3. Epub 2008 Jul 17.

Crocker K, Potparic O, Yentis SM. An evaluation of the B. Braun Vasofix Safety intravenous cannula. *Anaesthesia.* 2008 Dec;63(12):1379-81.

Law R. Reflections on 'needlestuck'. *Anaesthesia.* 2008 Dec;63(12):1372-4;author reply 1374.

Hoskins R, Moyle S. Accidental digital injection of adrenaline. *Emerg Nurse.* 2008 Dec;16(8):30-2.

Picton C. Sharps injuries: a blunt assessment. *Emerg Nurse.* 2008 Dec;16(8):1.

Myers DJ, Epling C, Dement J, Hunt D. Risk of sharp device-related blood and body fluid exposure in operating rooms. *Infect Control Hosp Epidemiol.* 2008 Dec;29(12):1139-48.

Kiss P, De Meester M, Braeckman L. Needlestick injuries in nursing homes: the prominent role of insulin pens. *Infect Control Hosp Epidemiol.* 2008 Dec;29(12):1192-4.

Yébenes JC, Sauca G, Solsona M, Martinez R, Serra-Prat M, Gil P, Riera F, Baluns X. Safety of positive-pressure valve connectors in arterial catheters inserted into critically ill patients. *J Hosp Infect.* 2008 Dec;70(4):341-5. Epub 2008 Oct 31.

Blenkharn JI. Needlestick injuries in primary care. *J Public Health (Oxf)*. 2008 Dec;30(4):514. Epub 2008 Apr 18.

Laraqui O, Laraqui S, Tripodi D, Zahraoui M, Caubet A, Verger C, Laraqui CH. [Assessing knowledge, attitude, and practice on occupational blood exposure in caregiving facilities, in Morocco]. *Med Mal Infect*. 2008 Dec;38(12):658-66. Epub 2008 Oct 26.

Mateen FJ, Grant IA, Sorenson EJ. Needlestick injuries among electromyographers. *Muscle Nerve*. 2008 Dec;38(6):1541-5.

Blenkharn JI. Community-acquired needle-stick injuries: rapid and safe retrieval of discarded needles is essential. *Pediatrics*. 2008 Dec;122(6):1405; author reply 1405-6.

Vieira M, Padilha MI. [HIV and the nursing professional in the face of needlestick accidents]. *Rev Esc Enferm USP*. 2008 Dec;42(4):804-10. Review. Portuguese.

Bailey A. Reducing the risk of needlestick injury. *Br J Nurs*. 2008 Nov 27-Dec 10;17(21):1311.

Gray J. Legislate for needle safety. *Nurs Stand*. 2008 Nov 19-25;23(11):1.

Sibanda T. Needle stick injuries are a preventable healthcare hazard. *BJOG*. 2008 Nov;115(12):1579; author reply 1579-80.

Blenkharn JI. Sharps disposal: a universal responsibility. *Br J Dermatol*. 2008 Nov;159(5):1212. Epub 2008 Sep 15.

Vives N, Almeda J, Contreras CA, Garc[✓]a F, Campins M, Casabona J; Grupo de estudio NONOPEP. [Use of non-occupational HIV post-exposure prophylaxis in Spain (2001-2005)]. *Enferm Infect Microbiol Clin*. 2008 Nov;26(9):546-51.

Jed SL, von Zinkernagel D. Call to action: the rights of nurses to health and safety. *J Assoc Nurses AIDS Care*. 2008 Nov-Dec;19(6):415-8.

Vigler M, Mulett H, Hausman MR. Chronic *Mycobacterium* infection of first dorsal web space after accidental Bacilli Calmette-Gu[✓]rin injection in a health worker: case report. *J Hand Surg [Am]*. 2008 Nov;33(9):1621-4.

Möhrenschlager M, Ring J, Henkel V, Jessberger B. Lost needle: a simple search device for the operating room's floor. *Langenbecks Arch Surg.* 2008 Nov;393(6):1009-11. Epub 2007 Dec 8.

Bali R, Sharma P, Angi S, Shruti. Needle stick injuries in health care providers. *Nurs J India.* 2008 Nov;99(11):251-4.

Hsieh YH, Rothman RE, Newman-Toker DE, Kelen GD. National estimation of rates of HIV serology testing in US emergency departments 1993-2005: baseline prior to the 2006 Centers for Disease Control and Prevention recommendations. *AIDS.* 2008 Oct 18;22(16):2127-34.

Ende AR, Hein L, Sottolano DL, Agins BD. Nonoccupational postexposure prophylaxis for exposure to HIV in New York State emergency departments. *AIDS Patient Care STDS.* 2008 Oct;22(10):797-802.

Wicker S, Cinatl J, Berger A, Doerr HW, Gottschalk R, Rabenau HF. Determination of risk of infection with blood-borne pathogens following a needlestick injury in hospital workers. *Ann Occup Hyg.* 2008 Oct;52(7):615-22. Epub 2008 Jul 29.

Pujar T, Spinello IM. A 38-year-old woman with heroin addiction, ptosis, respiratory failure, and proximal myopathy. *Chest.* 2008 Oct;134(4):867-70.

Adams D, Elliott TS. Needle protective devices; where are we now? *J Hosp Infect.* 2008 Oct;70(2):197-8. Epub 2008 Aug 23.

Schoeman S. Changing unsafe practice is challenging. *Med Educ.* 2008 Oct;42(10):1044.

Bourgeois F. [Management in cases of accidental exposure to blood]. *Rev Infirm.* 2008 Oct;(144):43-4.

Weinbaum CM, Williams I, Mast EE, Wang SA, Finelli L, Wasley A, Neitzel SM, Ward JW; Centers for Disease Control and Prevention (CDC). Recommendations for identification and public health management of persons with chronic hepatitis B virus infection. *MMWR Recomm Rep.* 2008 Sep 19;57(RR-8):1-20.

Ford JL, Phillips P. How to evaluate sharp safety-engineered devices. *Nurs Times.* 2008 Sep 9-15;104(36):42-5.

van Wijk PT, Boland GJ, van Leeuwen-Gilbert P, Schneeberger PM. [Inadequate infrastructure for follow-up after needlestick injuries in the Netherlands]. Ned Tijdschr Geneeskd. 2008 Sep 6;152(36):1981-5. Dutch.

Ruijs WL, Timen A. [Guideline 'Needlestick injuries': risk assessment and post-exposure management in practice]. Ned Tijdschr Geneeskd. 2008 Sep 6;152(36):1967-71. Review. Dutch.

Zaaijer HL. [Needlestick injuries and unprotected sex in the Netherlands]. Ned Tijdschr Geneeskd. 2008 Sep 6;152(36):1959-60. Dutch.

Jagger J. Fine points about safety syringes and level of risk. Am J Infect Control. 2008 Sep;36(7):501-2; author reply 502-3.

Trueman P, Taylor M, Twena N, Chubb B. The cost of needlestick injuries associated with insulin administration. Br J Community Nurs. 2008 Sep;13(9):413-7.

Schoeman S, Fitzgerald O'Connor EJ, Harrison R, Muirhead-Smith A, Shah MA, Ware N. Venepuncture technique training vs practice: a survey of foundation year 1 doctors. Br J Hosp Med (Lond). 2008 Sep;69(9):524-8.

Collier A, Ghosh S, Dowie A, Walsh K, O'Leary C. HIV testing in dementia: clinical, ethical and patient safety implications. Br J Hosp Med (Lond). 2008 Sep;69(9):500-3.

Chrastil B, Wanitphakdeedecha R, Nguyen TH, Chen TM. A simple, inexpensive means to minimize suture "hitchhiker" sharps injury in the setting of a limited surgical workspace. Dermatol Surg. 2008 Sep;34(9):1226-7; discussion 1228. Epub 2008 Jun 2.

Larney S, Dolan K. An exploratory study of needlestick injuries among Australian prison officers. Int J Prison Health. 2008 Sep;4(3):164-8.

Au E, Gossage JA, Bailey SR. The reporting of needlestick injuries sustained in theatre by surgeons: are we under-reporting? J Hosp Infect. 2008 Sep;70(1):66-70. Epub 2008 Jul 3.

Dewhirst CA, Hung JC. Comparison of the EZ-Cap recapper with the Mayo recapper for the prevention of needlesticks. J Nucl Med Technol. 2008 Sep;36(3):151-4. Epub 2008 Aug 14.

Canini SR, Moraes SA, Gir E, Freitas IC. Percutaneous injuries correlates in the nursing team of a Brazilian tertiary-care university hospital. Rev Lat Am Enfermagem. 2008 Sep-Oct;16(5):818-23.

Park S, Jeong I, Huh J, Yoon Y, Lee S, Choi C. Needlestick and sharps injuries in a tertiary hospital in the Republic of Korea. Am J Infect Control. 2008 Aug;36(6):439-43.

Leigh JP, Wiatrowski WJ, Gillen M, Steenland NK. Characteristics of persons and jobs with needlestick injuries in a national data set. Am J Infect Control. 2008 Aug;36(6):414-20.

Kunishige J, Wanitphakdeedecha R, Nguyen TH, Chen TM. Surgical pearl: a simple means of disarming the "locked and loaded" needle. Int J Dermatol. 2008 Aug;47(8):848-9.

Chiarello L. Proactive planning for sharps safety. Mater Manag Health Care. 2008 Aug;17(8):26-30.

Papenburg J, Blais D, Moore D, Al-Hosni M, Laferriv[®]re C, Tapiero B, Quach C. Pediatric injuries from needles discarded in the community: epidemiology and risk of seroconversion. Pediatrics. 2008 Aug;122(2):e487-92.

Boillat N, Bally F, Pv[©]ter O, Praz G, Troillet N. Occupational exposure and rapid HIV test. Arch Intern Med. 2008 Jul 14;168(13):1468.

Strauss KW, Onia R, Van Zundert AA. Peripheral intravenous catheter use in Europe: towards the use of safety devices. Acta Anaesthesiol Scand. 2008 Jul;52(6):798-804. Epub 2008 May 12.

Place K, Ingle L. Needlestuck. Anaesthesia. 2008 Jul;63(7):782.

Prunet B, Meaudre E, Montcriol A, Asencio Y, Bordes J, Lacroix G, Kaiser E. A prospective randomized trial of two safety peripheral intravenous catheters. Anesth Analg. 2008 Jul;107(1):155-8.

Boyce R, Mull J. Complying with the Occupational Safety and Health Administration: guidelines for the dental office. Dent Clin North Am. 2008 Jul;52(3):653-68, xi.

Wicker S, Gottschalk R, Spickhoff A, Rabenau HF. [HIV testing after needlestick injury: must the index patient be informed?]. Dtsch Med Wochenschr. 2008 Jul;133(28-29):1517-20. German.

Joardar GK, Chatterjee C, Sadhukhan SK, Chakraborty M, Dass P, mandal A. Needle sticks injury among nurses involved in patient care: a study in two medical college hospitals of West Bengal. Indian J Public Health. 2008 Jul-Sep;52(3):150-2.

Onal ED, Tanriover MD, Guven GS. Needlestick injury to a patient. J Postgrad Med. 2008 Jul-Sep;54(3):232.

Wicker S, Nürnberg F, Schulze JB, Rabenau HF. Needlestick injuries among German medical students: time to take a different approach? Med Educ. 2008 Jul;42(7):742-5. Epub 2008 May 23.

Okeke EN, Ladep NG, Agaba EI, Malu AO. Hepatitis B vaccination status and needle stick injuries among medical students in a Nigerian university. Niger J Med. 2008 Jul-Aug;17(3):330-2.

Blenkharn JI. Clinical wastes in the community: local authority management of discarded drug litter. Public Health. 2008 Jul;122(7):725-8. Epub 2008 Feb 21.

Manyele SV, Ngonyani HA, Eliakimu E. The status of occupational safety among health service providers in hospitals in Tanzania. Tanzan J Health Res. 2008 Jul;10(3):159-65.

Blenkharn JI, Odd C. Sharps injuries in healthcare waste handlers. Ann Occup Hyg. 2008 Jun;52(4):281-6. Epub 2008 Apr 29.

Perlow JH. Preventing needlestick injuries in obstetrics and gynecology: how can we improve the use of blunt tip needles in practice? Obstet Gynecol. 2008 Jun;111(6):1443; author reply 1443-4.

Oswald M, Probst C, Bader C, Krettek C. [Accidental abdominal needlestick injury incurred while discarding a disposal container]. Unfallchirurg. 2008 Jun;111(6):455-8. German.

Mizuta N, Kurahashi K. [Incidence of a needle stick injury occurring in a needless intravenous system]. Masui. 2008 May;57(5):635-6. Japanese.

Birk S. An issue that can't be contained. Mater Manag Health Care. 2008 May;17(5):42-4.

Bollin M, Murry L. Reducing exposure risk in the operating room. Prairie Rose. 2008 May-Jul;77(2):10-3. Review.

Gabriel J. Infusion therapy. Part two: Prevention and management of complications. Nurs Stand. 2008 Apr 16-22;22(32):41-8; quiz 50.

Apisarnthanarak A, Mundy LM. Cytomegalovirus mononucleosis after percutaneous injury in a Thai medical student. Am J Infect Control. 2008 Apr;36(3):228-9. PubMed PMID: 18371522.

Whitby M, McLaws ML, Slater K. Needlestick injuries in a major teaching hospital: the worthwhile effect of hospital-wide replacement of conventional hollow-bore needles. Am J Infect Control. 2008 Apr;36(3):180-6.

Gershon RR, Pogorzelska M, Qureshi KA, Sherman M. Home health care registered nurses and the risk of percutaneous injuries: a pilot study. Am J Infect Control. 2008 Apr;36(3):165-72.

Kanter LJ, Siegel CJ. Safety needles. Ann Allergy Asthma Immunol. 2008 Apr;100(4):401; author reply 401-2.

Sheikh J, Sheikh K. Potential bias in studies of accidental needle sticks. Ann Allergy Asthma Immunol. 2008 Apr;100(4):389-91.

Shiao JS, Lin MS, Shih TS, Jagger J, Chen CJ. National incidence of percutaneous injury in Taiwan healthcare workers. Res Nurs Health. 2008 Apr;31(2):172-9.

Taegtmeier M, Suckling RM, Nguku PM, Meredith C, Kibaru J, Chakaya JM, Muchela H, Gilks CF. Working with risk: occupational safety issues among healthcare workers in Kenya. AIDS Care. 2008 Mar;20(3):304-10.

Boal WL, Leiss JK, Sousa S, Lyden JT, Li J, Jagger J. The national study to prevent blood exposure in paramedics: exposure reporting. Am J Ind Med. 2008 Mar;51(3):213-22.

Mckenna DJ, McGlenon S, McCallum M, Dolan OM. Evaluation of a novel 'needlecatcher' surgical instrument designed to reduce the incidence of needle stick injuries from suture needles during skin suturing. Br J Dermatol. 2008 Mar;158(3):649-51. Epub 2008 Jan 17.

Hofmann F. [Biological hazards in the work environment]. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz*. 2008 Mar;51(3):313-21. Review. German.

Cook J. A safe and effective method to recover missing surgical needles. *Dermatol Surg*. 2008 Mar;34(3):423. Epub 2008 Jan 31.

Musharrafieh UM, Bizri AR, Nassar NT, Rahi AC, Shoukair AM, Doudakian RM, Hamadeh GN. Health care workers' exposure to blood-borne pathogens in Lebanon. *Occup Med (Lond)*. 2008 Mar;58(2):94-8. Epub 2008 Jan 21.

Fritzsche FR, Dietel M, Weichert W, Buckendahl AC. Cut-resistant protective gloves in pathology--effective and cost-effective. *Virchows Arch*. 2008 Mar;452(3):313-8.

Parish C. Call for ban on unsafe needles after inquest into nurse's death. *Nurs Stand*. 2008 Feb 20-26;22(24):9.

Gray J. An accidental death. *Nurs Stand*. 2008 Feb 20-26;22(24):1.

163: Kärcher E. [Prevention of needle-stick injuries]. *MMW Fortschr Med*. 2008 Feb 7;150(6):33-4. Review. German.

Apisarnthanarak A, Babcock HM, Fraser VJ. The effect of nondevice interventions to reduce needlestick injuries among health care workers in a Thai tertiary care center. *Am J Infect Control*. 2008 Feb;36(1):74-5.

Alamgir H, Cvitkovich Y, Astrakianakis G, Yu S, Yassi A. Needlestick and other potential blood and body fluid exposures among health care workers in British Columbia, Canada. *Am J Infect Control*. 2008 Feb;36(1):12-21.

Akinleye AA, Omokhodion FO. Work practices of primary health care workers in urban and rural health facilities in south-west Nigeria. *Aust J Rural Health*. 2008 Feb;16(1):47-8.

Chen CJ, Gallagher R, Gerber LM, Drusin LM, Roberts RB. Medical students' exposure to bloodborne pathogens in the operating room: 15 years later. *Infect Control Hosp Epidemiol*. 2008 Feb;29(2):183-5.

Zafar A, Aslam N, Nasir N, Meraj R, Mehraj V. Knowledge, attitudes and practices of health care workers regarding needle stick injuries at a tertiary care hospital in Pakistan. *J Pak Med Assoc*. 2008 Feb;58(2):57-60.

Chalupka SM, Markkanen P, Galligan C, Quinn M. Sharps injuries and blood borne pathogen exposures in home health care. *AAOHN J.* 2008 Jan;56(1):15-29; quiz 31-2. Review.

Wicker S, Jung J, Allwinn R, Gottschalk R, Rabenau HF. Prevalence and prevention of needlestick injuries among health care workers in a German university hospital. *Int Arch Occup Environ Health.* 2008 Jan;81(3):347-54. Epub 2007 Jul 10.


Méchai F, Quertainmont Y, Sahali S, Delfraissy JF, Ghosn J. Post-exposure prophylaxis with a maraviroc-containing regimen after occupational exposure to a multi-resistant HIV-infected source person. *J Med Virol.* 2008 Jan;80(1):9-10.

White SM. Needlestick injuries - a testing time. *Nurs Crit Care.* 2008 Jan-Feb;13(1):1-2.

Wicker S, Ludwig AM, Gottschalk R, Rabenau HF. Needlestick injuries among health care workers: occupational hazard or avoidable hazard? *Wien Klin Wochenschr.* 2008;120(15-16):486-92.


Thalhammer F. [Needle-stick injuries--how common are they in reality]. *Wien Klin Wochenschr.* 2008;120(15-16):458-60. German.

Additional Resources



Safety at Work is widely accepted as the most authoritative guide to safety and health in the workplace. Its comprehensive coverage and academically rigorous approach make it essential reading for students on occupational safety and health courses at diploma, bachelor and master level, including the NEBOSH National Diploma. Health and safety professionals turn to it for detailed coverage of the fundamentals and background of the field.

Visit the IVTEAM bookstore for further information www.ivteam.com



With a new focus on evidence-based practice, the 3rd edition of this authoritative reference covers every aspect of infusion therapy and can be applied to any clinical setting. Completely updated content brings you the latest advances in equipment, technology, best practices, guidelines, and patient safety. Other key topics include quality management, ethical and legal issues, patient education, and financial considerations. Ideal as a practical clinical reference, this essential guide is also a perfect review tool for the CRNI examination.

Visit the IVTEAM bookstore for further information www.ivteam.com