



This article describes the methodology used by ANISA to determine whether a blood culture isolate is likely to be a true pathogen or a contaminant in neonatal sepsis” Hossain et al (2016).

Abstract:

The multisite community-based study, Aetiology of Neonatal Infection in South Asia (ANISA), uses blood culture as the gold standard for identifying the etiology of neonatal infection. Considering the importance of this age-old diagnostic tool and the risk of contamination, ANISA has employed rigorous measures to prevent contamination at all stages of blood collection, processing and culture. Because contamination may still occur, an independent expert group evaluates the routinely collected clinical and laboratory data to determine whether a blood culture isolate is a contaminant or a true pathogen. This article describes the methodology used by ANISA to determine whether a blood culture isolate is likely to be a true pathogen or a contaminant in neonatal sepsis.

ReTweet if useful... How to determine if a blood culture isolate is likely to be a contaminant in neonatal care <http://ctt.ec/jSjf1+> @ivteam #ivteam

Click To Tweet

Reference:

Hossain, B., Weber, M.W., Hamer, D.H., Hibberd, P.L., Ahmed, A.S., Marzan, M., Islam, M.,



## How to determine if a blood culture isolate is likely to be a contaminant in neonatal care | 2

Connor, N.E., Islam, M.S., Zaidi, A.K., Baqui, A.H., Bhutta, Z.A., Qureshi, S.M., Rafiqullah, I., McGee, L. and Saha, S.K. (2016) Classification of Blood Culture Isolates Into Contaminants and Pathogens on the Basis of Clinical and Laboratory Data. The Pediatric Infectious Disease Journal. 35(5 Suppl 1), p.S52-4.

doi: 10.1097/INF.0000000000001107.

**Thank you to our partners for supporting IVTEAM**

