

"This study aims to describe patients' perspectives on vascular access initiation and maintenance in hemodialysis." Casey et al (2014).

Reference:

Casey, J.R., Hanson, C.S., Winkelmayr, W.C., Craig, J.C., Palmer, S., Strippoli, G.F. and Tong, A. (2014) Patients' Perspectives on Hemodialysis Vascular Access: A Systematic Review of Qualitative Studies. American Journal of Kidney Diseases. August 9th. .

Patients' perspectives on vascular access initiation and maintenance in hemodialysis  
[@ivteam #ivteam](http://ctt.ec/pT0jt+)

Click To Tweet

Abstract:

**BACKGROUND:** Delayed creation of vascular access may be due in part to patient refusal and is associated with adverse outcomes. Concerns about vascular access are prevailing treatment-related stressors for patients on hemodialysis therapy. This study aims to describe patients' perspectives on vascular access initiation and maintenance in hemodialysis.

**STUDY DESIGN:** Systematic review and thematic synthesis of qualitative studies.

**SETTING & POPULATION:** Patients with chronic kidney disease who express opinions about vascular access for hemodialysis.

**SEARCH STRATEGY & SOURCES:** MEDLINE, EMBASE, PsycINFO, CINAHL, reference lists, and PhD dissertations were searched to October 2013.

**ANALYTICAL APPROACH:** Thematic synthesis was used to analyze the findings.

**RESULTS:** From 46 studies involving 1,034 patients, we identified 6 themes: heightened vulnerability (bodily intrusion, fear of cannulation, threat of complications and failure, unpreparedness, dependence on a lifeline, and wary of unfamiliar providers), disfigurement (preserving normal appearance, visual reminder of disease, and avoiding stigma), mechanization of the body (bonded to a machine, internal abnormality, and constant maintenance), impinging on way of life (physical incapacitation, instigating family tension, wasting time, and added expense), self-preservation and ownership (task-focused control,

advocating for protection, and acceptance), and confronting decisions and consequences (imminence of dialysis therapy and existential thoughts).

LIMITATIONS: Non-English articles were excluded.

CONCLUSIONS: Vascular access is more than a surgical intervention. Initiation of vascular access signifies kidney failure and imminent dialysis, which is emotionally confronting. Patients strive to preserve their vascular access for survival, but at the same time describe it as an agonizing reminder of their body's failings and "abnormality" of being amalgamated with a machine disrupting their identity and lifestyle. Timely education and counseling about vascular access and building patients' trust in health care providers may improve the quality of dialysis and lead to better outcomes for patients with chronic kidney disease requiring hemodialysis.

**Thank you to our partners for supporting IVTEAM**

